Attachment to Interview Summary



INFORMATION ONLY

Fax

Date:

June 4, 2008

To: Examiner Kaushal

USPTO

Fax #: 571-273-0769

Confirm#:

Client Matter#:

21581-1002

Sender's

Beth Arnold

Number:

617-832-1294

User #:

0647

Total Pages Sent (Including Cover Sheet):

4

Office:

Boston Office

Message

From:

IMPORTANT — PLEASE READ

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS INTENDED ONLY FOR THE PERSONAL AND CONFIDENTIAL USE OF THE DESIGNATED RECIPIENTS NAMED ABOVE. THIS MESSAGE MAY BE AN ATTORNEY-CLIENT COMMUNICATION AND AS SUCH IS PRIVILEGED AND CONFIDENTIAL. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT OR AN AGENT RESPONSIBLE FOR DELIVERING IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT YOU HAVE RECEIVED THIS DOCUMENT IN ERROR, AND THAT ANY REVIEW, DISSEMINATION, DISTRIBUTION OR COPYING OF THIS MESSAGE IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL MESSAGE TO US BY MAIL. THANK YOU.

IF THERE ARE ANY PROBLEMS WITH THIS TRANSMISSION PLEASE TELEPHONE THE SENDER.

BOSTON

Foley Hoag 2LP

WASHINGTON, DC

Seaport World Trade Center West / 155 Seaport Blvd. / Boston, MA 02210-2600 / TEL: 617.832.1000 / FAX: 617.832.7000



OGA-10.02

Replacement Claim Set

- 72. (New) A cultured tissue construct comprising dermal fibroblast cells embedded in an extracellular matrix, wherein the construct is produced by culturing dermal fibroblast cells seeded onto a membrane, which contains pores that are about 3 microns or less in size, in the presence of a chemically defined matrix production medium that is free of exogenous matrix components and undefined animal organ or tissue extracts under appropriate conditions and for a sufficient period of time. (support: page 9, 1l. 12-30, page 10. Il. 1-29, page 11, Il. 25-26)
- 73. (New) A cultured tissue construct of claim 72, wherein the matrix production medium comprises a nutrient base medium, media components that assist in matrix synthesis, secretion or organization and optional supplements. (page 12, II. 13-30, page 13, II. 1-29, page 14, II. 1-30, page 15, II. 1-30; page 16, II. 1-30, page 17, II. 1-24)
- 74. (New) A cultured tissue construct of claim 73, wherein the nutrient base medium is selected from the group consisting of: Dulbecco's Modified Eagle Medium (DMEM), Minimal Essential Medium (MEM), M199, RPMI 1640, Iscove's Modified Dulbecco's Medium (EDMEM), Ham's F-12, Ham's F-10, NCTC 109, and NCTC 135. (support: page 12, Il. 21-23 and 26-28)
- 75. (New) A cultured tissue construct of claim 73, wherein the media components that assist in matrix synthesis, secretion or organization are selected from the group consisting of: ascorbate derivatives, amino acids, neutral polymers, growth factors, transcription factors and inorganic salts.
- 76. (New) A cultured tissue construct of claim 75, wherein the ascorbate derivative is selected from the group consisting of: sodium ascorbate, ascorbic acid, L-ascorbic acid phosphate magnesium salt n-hydrate.

- 77. (New) A cultured tissue construct of claim 75, wherein the amino acid is selected from the group consisting of: proline, hydroxyproline, glycine and hydroxyglycine.
- 78. (New) A cultured tissue construct of claim 75, wherein the neutral polymer is selected from the group consisting of: polyethylene glycol (PEG), dextran and polyvinylpyrrolidone (PVP). (support: page 17, 11. 1-2)
- 79. (New) A cultured tissue construct of claim 75, wherein the growth factor is selected from the group consisting of: epidermal growth factor, progesterone, adenine, transforming growth factor beta 1 and tissue plasminogen activator. (support: page 14, ll. 29-30 and page 15, ll. 23-30)
- 80. (New) A cultured tissue construct of claim 73, wherein the supplements are selected from the group consisting of: insulin, transferrin, triidothyrone (T3), ethanolamine, o-phosphoryl-ethanolamine hydrocortisone, selenium, L-glutamine and epidermal growth factor.
- 81. (New) A cultured tissue construct of claim 72, wherein the culture conditions are a temperature between about 34°C to 38°C, an atmosphere between about 5 to 10 CO₂ and a relative humidity between about 80-90%. (page 17, ll. 25-28)
- 82. (New) A cultured tissue construct of claim 72, wherein the dermal fibroblasts are derived from human dermis.
- 83. (New) A cultured tissue construct of claim 82, wherein the human dermis is neonatal foreskins).
- 84. (New) A cultured tissue construct of claim 72, wherein media exchanges are made every two to three days.

617-832-7000

INFORMATION ONL)

- (New) A cultured tissue construct of claim 72, wherein the pores are in the range 85. of about 0.2 microns to about 1 micron. (page 10, II. 6)
- (New) A cultured tissue construct of claim 72, wherein the membrane is 86. comprised of a polycarbonate (page 10, Il. 8)
- (New) A cultured tissue construct of claim 72, which is at least 30 microns in 87. thickness.